

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>G21F 3/02</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 97/15931</b> <b>(43) International Publication Date:</b> 1 May 1997 (01.05.97)
<b>(21) International Application Number:</b> PCT/IT96/00196 <b>(22) International Filing Date:</b> 25 October 1996 (25.10.96) <b>(30) Priority Data:</b> BO95A000509 27 October 1995 (27.10.95) IT <b>(71)(72) Applicant and Inventor:</b> VIGNUDELLI, Adriano [IT/IT]; Via San Vito, 6, I-41057 Spilamberto (IT).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> SHIELDING MATERIAL HAVING A RADIATION ANTISTRESS EFFECT  <b>(57) Abstract</b> <p>The base material can be obtained by means of the realisation, on a support made out of material or non material, of a system of two crossed orders, uniformly distributed, of rectilinear stitching carried out with a yarn having a metallic core inside. In this way, an incorporated shielding metallic screen made of metallic cores is obtained.</p> <div data-bbox="922 1213 1421 1732"></div>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

SHIELDING MATERIAL HAVING A RADIATION ANTISTRESS  
EFFECT

BACKGROUND OF THE INVENTION

The present invention relates to a material that cannot be penetrated by forms of electromagnetic energy propagation, both in the form of waves and particles which are particularly light, flexible and thin which can be used in garments, for example incorporating it between the parts of the lining and the external of the garment, or for making suits for protecting the human body from radiation stress. The material can both be used generally and for specific use, for example for the protection of the personnel operating in radio stations, in X ray areas and on board submarines, and for the conventional use of electrical equipment such as irons, microwave ovens and the like. Said material can be produced in bobbins so as to make it possible to obtain the shapes to be worked by die cutting or other related processes. In order to obtain an antistress radiation material of a particular consistency, there is

provided an integrally operating unit meant for the stitching or for the welding lines, said unit being composed of two shielding parts between which is interposed a plate-like part acting as a structural element. Furthermore, using in the above mentioned composite version, a part of interposition with excellent heat insulating characteristics, which for example can be obtained from polyethylene plates which are suitably equipped with a uniform system distributed with holes so as to allow for the transpiration of the human body, a new kind of material is obtained with the characteristics which are similar to those already mentioned in terms of lightness, flexibility and thinness, thus resulting impenetrable to the forms of electromagnetic energy propagation and capable of simultaneously holding back the body heat according to pre-established values. In the prior art technique, in order to protect the human body from the forms of electromagnetic energy propagation which can be found in sender equipment, for example computers, cellular telephones, television systems, white goods and the like, a metallic screen is used inside the bodies of said equipment which,

operating as shielding barriers, prevents the propagation of the radiation to the outside. The above mentioned shielding system, as it provides for a positional impenetrability, it is not capable of preventing the exit to the outside of a considerable amount of radiation because of the presence of various parts or components which cannot be shielded; furthermore it doesn't provide for any protection for the personal who have to intervene on the conventional resetting operations and adjustment of the sending equipment. For these tasks, for power plant operators, transreceiver plant operators and the like, is envisaged a rigid structure, worn by the operator, with a shielding metallic screen incorporated on the inside. These are shielding means that are fundamentally meant for the use of particular tasks and whose weight and overall dimensions make them unfit for general use.

#### SUMMARY OF THE INVENTION

The present invention provides a solution to the above mentioned problems by making available

shielding material of a new kind made in sheets which are particularly light, flexible and thin supplied to the manufacturing industry in bobbins from which can be cut the shapes to be worked for the variety of designs. Substantially, the base material is obtained by means of the realisation, on a support made out of material or non material 1, of a system of two crossed orders, uniformly distributed, of rectilinear stitching carried out with a yarn 2 having a metallic core 3 inside. In this way, an incorporated shielding metallic screen made of metallic cores 3 is obtained. In order to obtain a product of particular consistency, a composite material is provided which is constituted by two supports 1 with a structural support 4 interposed the whole system being made operative and integral by means of a system of stitching, as already mentioned, with yarn 2, with a metallic core 3. By using in the composite material a structural support 4 with excellent insulating characteristics, such as polyurethane, and appropriately equipping it with a system of holes uniformly distributed, in order to permit the transpiration of the human body, a shielding material is obtained which is capable of

simultaneously holding the body heat according to pre-established values.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Hereunder is illustrated, in the form of a a non-limiting example, a preferred embodiment with the aid of the accompanying drawings in which:

05 -fig 1 is an exploded view of the two types of sheet support provided for obtaining the composite material in order;

-fig 2 is, a side view of the composite material, already completed by means of realisation of the stitching system of crossed orders, said stitching being obtained with yarn 2 incorporating a

10 metallic core 3;

-fig 3 is a view of the same square of material showing a view of a section of surface so as to observe the shielding screen formed by crossed

15 lines of metallic cores 3;

-fig 4 is a hydrographic view of a material on the bobbin at the beginning of the unwinding for the

20 cutting of the shapes to be worked.

Indicative forms of the field of us of the material in rder are shown as examples in

figures 5 and 6;

-fig 5 is a detailed view of the use of the material incorporated in a piece of clothing 5 worn by an operator in a plant where electronic equipment is used;

05

-fig 6 shows the use of a protective suit 6 worn by a person ironing blankets using an electric iron.

In the embodiments, the form and the typology, the materials and the like can vary in relation to the specific use.

10



WHAT IS CLAIMED

1. Shielding material having a radiation antistress effect wherein the base material is obtained by means of the realisation, on a support made out of material or non material, of a system of two crossed orders, uniformly distributed, of rectilinear stitching carried out with a yarn having a metallic core inside.
2. Shielding material having a radiation antistress effect as in claim 1, wherein in order to obtain a product of particular consistency, a composite material is provided which is constituted by two supports with a structural support interposed, the whole of the system being made operative and integral by means of a system of stitching, as already mentioned with yarn having a metallic core.
3. Shielding material having a radiation antistress effect as in claim 1, wherein by using in the composite material, a structural support with excellent insulating characteristics, for example polyurethane, and appropriately equipping it with

a system of holes uniformly distributed, in order to permit the transpiration of the human body, a shielding material is obtained which is capable of simultaneously holding the body heat according to pre-established values.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6

# INTERNATIONAL SEARCH REPORT

International Application No.

PC1/IT 96/00196

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 G21F3/02

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G21F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	PATENT ABSTRACTS OF JAPAN vol. 014, no. 147 (M-0952), 20 March 1990 & JP 02 011499 A (NEC CORP), 16 January 1990, see abstract ---	1,2
Y	WO 89 12706 A (NUKLEARE SICHERHEITS PROD ;TG TECHNO GARNE GMBH (DE)) 28 December 1989 see abstract see page 10, paragraph 3-4; figure 1 ---	1,2
A	---	3
A	DE 30 38 480 A (SCHLITZER LEINEN IND DRIESSEN) 27 May 1982 see the whole document ---	1,2
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

28 January 1997

Date of mailing of the international search report

05.02.97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+ 31-70) 340-3016

Authorized officer

Deroubaix, P

# INTERNATIONAL SEARCH REPORT

Inter- national Application No

PC1/IT 96/00196

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 073 648 A (TORAY INDUSTRIES) 9 March 1983 see abstract; claims 1,9,10; figure 1 ---	1,2
A	US 2 858 410 A (RICH) 28 October 1958 see the whole document ---	1,2
A	DE 32 07 014 A (BOHN GERHARD) 8 September 1983 see abstract; claims 1,13,18 -----	1-3

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PC 1 / IT 96/00196

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A-8912706	28-12-89	DE-A- 3820091 DE-A- 3820127 AU-A- 3767289 EP-A- 0419527 JP-T- 3505238	14-12-89 14-12-89 12-01-90 03-04-91 14-11-91
DE-A-3038480	27-05-82	NONE	
EP-A-0073648	09-03-83	JP-C- 1441204 JP-A- 58041950 JP-B- 62027184 DE-A- 3278463 US-A- 4622254 US-A- 4786541	30-05-88 11-03-83 12-06-87 16-06-88 11-11-86 22-11-88
US-A-2858410	28-10-58	NONE	
DE-A-3207014	08-09-83	NONE	